Ernie Fletcher Governor

Teresa J. Hill, Secretary Environmental and Public Protection Cabinet

Timothy J. LeDonne Commissioner Department of Public Protection

Danville, KY 40423-1517

THE OF THE WORLD

Commonwealth of Kentucky

Public Service Commission

211 Sower Blvd P.O. Box 615 Frankfort, Kentucky 40602-0615 Telephone: (502) 564-3940 Fax: (502) 564-3460 psc.ky.gov Mark David Goss Chairman

> John W. Clay Vice Chairman

Caroline Pitt Clark Commissioner

December 7, 2007

Honorable Edward Hays
Sheehan, Barnett, Hays, Dean & Pennington, P.S.C.
114 South Fourth Street
P.O. Box 1517

RE: Case No. 2007-00405

We enclose one attested copy of the Commission's Order in the above case.

Sincerely,

Beth O'Donnell Executive Director

BOD/tw Enclosure



Ernie Fletcher Governor

Teresa J. Hill, Secretary Environmental and Public Protection Cabinet

Timothy J. LeDonne Commissioner Department of Public Protection

Honorable John N. Hughes Attorney at Law 124 West Todd Street Frankfort, KY 40601



Commonwealth of Kentucky

Public Service Commission 211 Sower Blvd. P.O. Box 615

Frankfort, Kentucky 40602-0615 Telephone: (502) 564-3940 Fax: (502) 564-3460 psc.ky.gov

December 7, 2007

Mark David Goss Chairman

> John W. Clay Vice Chairman

Caroline Pitt Clark Commissioner

RE: Case No. 2007-00405

We enclose one attested copy of the Commission's Order in the above case.

Sincerely,

Beth O'Donnell Executive Director

BOD/tw Enclosure



Ernie Fletcher Governor

Teresa J. Hill, Secretary Environmental and Public Protection Cabinet

Timothy J. LeDonne Commissioner Department of Public Protection

Ronald Russell Chairman Parksville Water District 10711 Lebanon Road P. O. Box 9 Parksville, KY 40464



Commonwealth of Kentucky

Public Service Commission 211 Sower Blvd. P.O. Box 615

Frankfort, Kentucky 40602-0615 Telephone: (502) 564-3940 Fax: (502) 564-3460 psc.ky.gov

December 7, 2007

Mark David Goss Chairman

> John W. Clay Vice Chairman

Caroline Pitt Clark Commissioner

RE: Case No. 2007-00405

We enclose one attested copy of the Commission's Order in the above case.

Sincerely,

Beth O'Donnell Executive Director

BOD/tw Enclosure



## COMMONWEALTH OF KENTUCKY BEFORE THE PUBLIC SERVICE COMMISSION

Ì	ln	th	Δ	N/	latt	er	of.
ı	111	u	ı	IV	au	$\leftarrow$	()1.

PARKSVILL	E WATER DISTRICT	)
	COMPLAINANT	) CASE NO. ) 2007-00405
V.		)
CITY OF DA	NVILLE	)
	DEFENDANT	)

## ORDER

Defendant has moved for an extension of time to file an answer in this case because of the delay in its being served with the complaint. Finding that good cause exists to grant the motion, the Commission HEREBY ORDERS that the Defendant shall file its answer to the complaint and response to Complainant's motion to withhold payment by December 14, 2007.

Done at Frankfort, Kentucky, this 7th day of December, 2007.

By the Commission

Executive Director

attached antenna, and is to be located on a knob near the Junction of KY 82 and KY 89, approximately one-half mile east of Hargett, Estill County, Kentucky. The coordinates for the proposed facility are North Latitude 37° 46' 54.6" by West Longitude 84° 0' 1.8".

- 2. The Applicant shall file a copy of the final decisions regarding the pending FAA and KAZC applications for the proposed construction within 10 days of receiving the decisions.
- 3. The Applicant shall immediately notify the Commission in writing, if, after the antenna tower is built and utility service is commenced, the tower is not used for a period of 3 months in the manner authorized by this Order.
- 4. The Applicant shall also notify the Commission in writing, within 20 days of completion, that it has finished construction of the tower and the date upon which said construction was complete.

Done at Frankfort, Kentucky, this 7th day of December, 2007.

By the Commission

ATTEST:

Executive Director